



CLIENT HEALTH SCREENING CHECKLIST

Has the person attending Merrick, Inc., had any of the following symptoms within the last 48 hours that cannot be attributed to another health condition (i.e., asthma, allergies, migraines, etc.)?

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Fever or chills?
<input type="checkbox"/>	<input type="checkbox"/>	Fatigue?
<input type="checkbox"/>	<input type="checkbox"/>	New cough?
<input type="checkbox"/>	<input type="checkbox"/>	Shortness of breath?
<input type="checkbox"/>	<input type="checkbox"/>	New sore throat?
<input type="checkbox"/>	<input type="checkbox"/>	New muscle or body aches?
<input type="checkbox"/>	<input type="checkbox"/>	New headache?
<input type="checkbox"/>	<input type="checkbox"/>	New loss of smell or taste?
<input type="checkbox"/>	<input type="checkbox"/>	Congestion or runny nose?
<input type="checkbox"/>	<input type="checkbox"/>	Nausea or vomiting?
<input type="checkbox"/>	<input type="checkbox"/>	Diarrhea?

If any of the boxes are checked “Yes”, you agree to notify Merrick, Inc., and not have the person attend the program until permitted according to Merrick’s Covid-19 Preparedness Plan (on website). For more information on when and where to get tested call MDH at 651.297.1304 or go to <https://mn.gov/Covid19/>.

Clients with a lab test confirming they have Covid-19 can report to the program 14-days after the test date, or onset of symptoms, if they have not had a fever within the last 24 hours, without using fever reducing medications, and symptoms have improved. Clients who have had an exposure to someone with suspected or confirmed case of Covid-19, are not required to quarantine if they have met the following criteria:

- It has been two (2) weeks following their second Covid-19 vaccine dose in a two dose series or one (1) dose in a one dose series; and
- Have remained asymptomatic since the exposure.

Clients that have previously tested positive and recovered do not need to undergo repeat quarantine in the case of another COVID-19 exposure within 3 months of their initial diagnosis (date of symptom onset).